

## **Wikiprint Book**

**Title: CamelCase**

**Subject: Tibusay Publicaciones - CamelCase**

**Version: 1**

**Date: 18/05/24 04:57:35**

Table of Contents

|                               |          |
|-------------------------------|----------|
| <b>CamelCase</b>              | <b>3</b> |
| Customizing the Wiki behavior | 3        |
| More information on CamelCase | 3        |

## CamelCase

New words created by smashing together capitalized words.

[CamelCase](#) is the original wiki convention for creating hyperlinks, with the additional requirement that the capitals are followed by a lower-case letter; hence "AlabamA" and "ABc" will not be links.

### Customizing the Wiki behavior

Some people dislike linking by [CamelCase](#). While Trac remains faithful to the original Wiki style, it provides a number of ways to accomodate users with different preferences:

- There's an option (`ignore_missing_pages` in the [\[wiki\]](#) section of [TracIni](#)) to simply ignore links to missing pages when the link is written using the [CamelCase](#) style, instead of that word being replaced by a gray link followed by a question mark.  
That can be useful when [CamelCase](#) style is used to name code artifacts like class names and there's no corresponding page for them.
- There's an option (`split_page_names` in the [\[wiki\]](#) section of [TracIni](#)) to automatically insert space characters between the words of a [CamelCase](#) link when rendering the link.
- Creation of explicit Wiki links is also easy, see [WikiPageNames](#) for details.
- In addition, Wiki formatting can be disabled completely in some places (e.g. when rendering commit log messages). See `wiki_format_messages` in the [\[changeset\]](#) section of [TracIni](#).

See [TracIni](#) for more information on the available options.

### More information on CamelCase

- <http://c2.com/cgi/wiki?WikiCase>
- <http://en.wikipedia.org/wiki/CamelCase>

See also: [WikiPageNames](#), [WikiNewPage](#), [WikiFormatting](#), [TracWiki](#)